Concord

EQUATORE







Designed to highlight and illuminate projects where the requirement for a discrete and minimal product appearance is key. The Equatore, with its simple male & female connection technology will reduce installation time whilst creating a continuous and seamless light distribution.

- Linkable linear system, flexible connection as an option (EQBW150 & EQBW600)
- Metal surface mount clips standard (included), magnetic brackets (EQMBKT) optional
- Available in five different lengths of 100mm, 285mm, 565mm, 845mm and 1123mm
- Available in 3000K & 4000K colour temperature
- Connection box (JB06) and Power cord (EQPC200) are required to connect the system
- 2 options for angle mounting 20°/45° (EQAG20 /EQAG45)
- Option of Non-dim driver (97031299) or DALI (97031234)
- Seamless light distribution

EQUATORE

Product Specification

50000 Rated Average Life	**IP20** IP Rating	**24V** Voltage	**80** Color Rendering Index	**Silver** Luminaire Colour
Matt Finish	**LED (PCBA)** Lamp Type	**LED** Lamp Style	**Aluminium (Die Cast)** Heatsink	**Symmetric** Beam Distribution

GLG Lighting the future
www.glg lighting

EQUATORE

Item Code	Description	System Power (W)	Lamp Power (W)	Colour Temperature
EQF285404	EQUATORE 4W 24VDC 285MM FLAT DIFF 4K LINKABLE LED STRIP	4W	4W	4000K
EQF285404S	EQUATORE 4W 24VDC 285MM FLAT DIFF 4K SIDE ENTRY LINK LED STR	4W	4W	4000K
EQF100301	EQUATORE 1.5W 24VDC 100MM FLAT DIFF 3K LINKABLE LED STRIP	1.5W	1.5W	3000K
EQF285304S	EQUATORE 4W 24VDC 285MM FLAT DIFF 3K SIDE ENTRY LINK LED STR	4W	4W	3000K
EQF845412	EQUATORE 12W 24VDC 845MM FLAT DIFF 4K LINKABLE LED STRIP	12W	12W	4000K
EQF845312	EQUATORE 12W 24VDC 845MM FLAT DIFF 3K LINKABLE LED STRIP	12W	12W	3000K
EQF285304	EQUATORE 4W 24VDC 285MM FLAT DIFF 3K LINKABLE LED STRIP	4W	4W	3000K
EQF1123416	EQUATORE 16W 24VDC 1123MM FLAT DIFF 4K LINKABLE LED STRIP	16W	16W	4000K
EQF565308	EQUATORE 8W 24VDC 565MM FLAT DIFF 3K LINKABLE LED STRIP	8W	8W	3000K
EQF1123316	EQUATORE 16W 24VDC 1123MM FLAT DIFF 3K LINKABLE LED STRIP	16W	16W	3000K
EQF100401	EQUATORE 1.5W 24VDC 100MM FLAT DIFF 4K LINKABLE LED STRIP	1.5W	1.5W	4000K
EQF565408	EQUATORE 8W 24VDC 565MM FLAT DIFF 4K LINKABLE LED STRIP	8W	8W	4000K

EQUATORE

Item Code	Lumen Output	LEDsmart Type
EQF285404	381Lm	Engine
EQF285404S	520Lm	Engine
EQF100301	123Lm	Driver
EQF285304S	363Lm	Engine
EQF845412	1121Lm	Engine
EQF845312	1068Lm	Engine
EQF285304	495Lm	Engine
EQF1123416	1368Lm	Engine
EQF565308	723Lm	Engine
EQF1123316	1303Lm	Engine
EQF100401	179Lm	Engine
EQF565408	759Lm	Engine

PRODUCT IMAGES

LINE DRAWINGS

GLG Lighting the future
www.glg lighting